



SCIENTIFIC INFRA GEOINVESTIGATION LAB

Regd. Office: Plot No. 2, DC Enclave, Main Wazirpur Road, Near Dream Land 24, Faridabad, Haryana -121002

E-mail: scientificinfra6714@gmail.com; sigilab19@gmail.com; Website: www.sigeolab.com; Mob. No.- 8285741476, 9873720389

TEST REPORT

Sample / Report No.	SIGIL0020251100/15	Sample Name	ADVANCE GLOW NIGHT CREAM	Page 1 of 2
Name and Address of Customer:	M/s. ZENITH OF UNIQUE SKINCARE ARTISTRY (ZUSA) DSP ROAD, DADAR EAST MUMBAI, INDIA.			
Batch No	N.S	Date of Receipt	25/11/2025	
Date of Packing	N.S	Start Date of Analysis	25/11/2025	
Best Before Date	N.S	End Date of Analysis	02/12/2025	
Condition of sample on receipt :	Ok	Report Issue Date:	02/12/2025	
Sample Collected By	Lab Representative (Mr. Dilip Verma)	Sample Quantity	150.0GM	
Brand Name	ZUSA	Customer Ref. No.	N.S	

S. NO.	TEST PARAMETER	UNIT OF MEASUREMENT	RESULTS	REQUIREMENT	TEST METHOD
CHEMICAL PARAMETERS					
1.	Appearance	--	Light-Cream Color	--	Visual
2.	Odour	--	Characteristic	--	Sensory
3.	Thermal Stability (48°C, 1 hr)	--	No Phase Separation	--	IS 6608:2004
4.	pH (10% solution at 27°C)	—	6.13	4.0 – 9.0	IS 6608:2004
5.	Total Fatty Substances (as mass fraction)	%	11.10	Not less than 5.0	IS 6608:2004
6.	Total Residue (Non-volatile matter)	%	15.67	Not less than 10.0	IS 6608:2004
HEAVY METALS TEST					
1.	Lead (Pb)	mg/kg	BDL (DL-0.01)	20.0 Max.	SIGIL/SOP/CHEM/01
2.	Arsenic (As)	mg/kg	BDL (DL-0.05)	2.0 Max.	SIGIL/SOP/CHEM/01
3.	Mercury (Hg)	mg/kg	BDL (DL-0.01)	1.0 Max	SIGIL/SOP/CHEM/01



AUTHORISED SIGNATORY

- Note:
1. Sample will be retained for one month.
 2. In case the sample is taken back, No further responsibility of any discrepancies.
 3. This report cannot be reproduced wholly or partly and can't be used as an evidence in front of any court or law or by any advertising media.
 4. Results refer only to the sample submitted for testing.
 5. Uncertainty is calculated at 95% Confidence level for approximate coverage factor k = 2.
 6. The Results relate only to the items tested.



SCIENTIFIC INFRA GEOINVESTIGATION LAB

Regd. Office: Plot No. 2, DC Enclave, Main Wazirpur Road, Near Dream Land 24, Faridabad, Haryana -121002

E-mail: scientificinfra6714@gmail.com; sigilab19@gmail.com; Website: www.sigeolab.com; Mob. No.- 8285741476, 9873720389

TEST REPORT

Sample / Report No.	SIGIL0020251100/15	Sample Name	ADVANCE GLOW NIGHT CREAM	Page 2 of 2
Name and Address of Customer:	M/s. ZENITH OF UNIQUE SKINCARE ARTISTY (ZUSA) DSP ROAD, DADAR EAST MUMBAI, INDIA.			
Batch No	N.S	Date of Receipt	25/11/2025	
Date of Packing	N.S	Start Date of Analysis	25/11/2025	
Best Before Date	N.S	End Date of Analysis	02/12/2025	
Condition of sample on receipt :	Ok	Report Issue Date:	02/12/2025	
Sample Collected By	Lab Representative (Mr. Dilip Verma)	Sample Quantity	150.0GM	
Brand Name	ZUSA	Customer Ref. No.	N.S	

S. NO.	TEST PARAMETER	UNIT OF MEASUREMENT	RESULTS	REQUIREMENT	TEST METHOD
MICROBIOLOGY PARAMETERS					
1.	Total Viable Count	cfu/gm	175	≤ 1000	IS 5402 (Part 1) : 2021
2.	Yeast & Mould Count	cfu/gm	8	<100	IS 5403 : 1999
3.	Gram-Negative Bacteria	cfu/gm	<10	<10	IS 14648 : 2011
4.	E. coli	cfu/gm	Absent	Absent	IS 5887 (Pt 1)
5.	Salmonella spp.	cfu/gm	Absent	Absent	IS 5887 (Pt 3)
6.	Pseudomonas Aeruginosa	cfu/gm	Absent	Absent	IS 5887 (Pt 16)

REMARKS: PARTY ASKED FOR ABOVE TEST ONLY.

****END OF REPORT****



AUTHORISED SIGNATORY

- Note:
1. Sample will be retained for one month.
 2. In case the sample is taken back, No further responsibility of any discrepancies.
 3. This report cannot be reproduced wholly or partly and can't be used as an evidence in front of any court or law or by any advertising media.
 4. Results refer only to the sample submitted for testing.
 5. Uncertainty is calculated at 95% Confidence level for approximate coverage factor k = 2.
 6. The Results relate only to the items tested.